

**SAFETY
PRODUCTS**
PRODUITS DE SÉCURITÉ
منتجات السلامة

PPE



RIGMAN



Model: 569-CLEAR

Clear lens, Ultra light weight frame, Ergonomic design, Ratchet temple adj., Co-injected temples prevent slipping while providing soft fit, Anti fog, Anti scratch.

CE EN166 F, ANSI Z87+



Model: 579-GRAY

Gray lens, Ultra light weight frame, Ergonomic design, Co-injected temples prevent slipping while providing soft fit, Anti fog, Anti scratch.

CE EN166 F, ANSI Z87+



Model: SG564 REVO BLUE

Co-injected temples prevent slipping while providing soft fit, Lens is made from UV 385 polycarbonate that filters out 99.9% of harmful UV radiation, Ratchet temple adjustment allows customized fit and improves wearer's comfort. Special Revo coatings block and protect from UV rays/highlight specific model and great transmittance which are extremely dangerous and harmful to the eyes.

ANSI Z87.1 and CE-EN-166



Model: SG564V REVO YELLOW

Co-injected temples prevent slipping while providing soft fit, Lens is made from UV 385 polycarbonate that filters out 99.9% of harmful UV radiation, Ratchet temple adjustment allows customized fit and improves wearer's comfort. Special Revo coatings block and protect from UV rays/highlight specific model and great transmittance which are extremely dangerous and harmful to the eyes.

ANSI Z87.1 and CE-EN-166



Model: SG514V COATED LENS

Used in extreme hot & cold conditions. Clear coated lens can be used in/out. Temple with soft rubber pad. The Lens has ability to filter blue is combined with special coating to combat fogging & provide visual comfort. Anti-scratch / Lens is made from UV385 Polycarbonate that filters out 99.9% of harmful UV radiation.

ANSI Z87.1 and CE-EN-166



EN ISO 345 S3 CI

-SRC-

WR



SIZE : 37 to 47

Model: R609 - Height 8"

- UPPER : Oil and Water-repellent waxy full grain leather and anti-abrasion protection
Padded tongue and ergonomic collar. Additional TPU Heel Protection
- LINING : Comfort Footwear membrane
- TOE CAP : 100% composite toe cap, 200J, Light weight
- FOOTBED : Comfort Anatomic, Antibacterial, shock absorber in the heel area
- MIDSOLE : 100% composite midsole, 1100KN, Anti penetration, anti Static and light weight
- OUTSOLE : Scuff toe cap, PU / PU SRC construction



EN ISO 345 S3 CI

-SRC-

WR

HRO



SIZE : 37 to 47

Model: R9060 - Height 8"

- UPPER : Oil and Water-repellent Full grain leather. Padded tongue and ergonomic collar
- LINING : DINTEX waterproof lining
- TOE CAP : Steel toe cap, 200J
- FOOTBED : Comfort Anatomic, Antibacterial, shock absorber in the heel area
- MIDSOLE : Steel plate 1100KN and light weight
- OUTSOLE : PU / RUBBER contact heat resistant up to 300°C HRO

** Available with 3M Thinsulate for Cold Areas also.



EN ISO 345 S3 CI

-SRC-

WR



SIZE : 37 to 47

Model: R526-Hiker Type Boot - Height 6"

- UPPER : Water-repellent full grain cow leather with anti-abrasion toe protection
Padded tongue and ergonomic collar. Additional TPU Heel Protection
- LINING : Air Mesh
- TOE CAP : 100% composite toe cap, 200J, Light weight
- FOOTBED : Comfort Anatomic, Antibacterial, shock absorber in the heel area
- MIDSOLE : 100% composite midsole, 1100KN, Anti penetration, anti Static and light weight
- OUTSOLE : PU / RUBBER construction



EN ISO 345 S3 CI

-SRC-

HRO



SIZE : 37 to 47

Model: 8061 BOOT -Height 8"

- UPPER : Oil and Water-repellent waxy full grain leather and anti-abrasion protection. Additional TPU Heel Protection, Dark brown cow leather, Water resistant
- LINING : Cambrella material
- TOE CAP : 200J, Light weight.
- FOOTBED : Comfort Anatomic, Antibacterial, shock absorber in the heel area
- MIDSOLE : 100% composite midsole, 1100KN, Anti penetration, anti Static and light weight
- OUTSOLE : PU/RUBBER contact heat resistant upto 300°C HRO



EN ISO 345 S3 CI

-SRC-

WR

HRO



SIZE : 37 to 47

Model: R1021 - Height 6"

chaussures de sécurité

UPPER	: Water-repellent Full grain leather. Padded tongue and ergonomic collar
LINING	: DINTEX waterproof lining
TOE CAP	: 100% composite toe cap, 200J, Light weight
FOOTBED	: Comfort Anatomic, Antibacterial, shock absorber in the heel area
MIDSOLE	: 100% composite midsole, 1100KN, Anti penetration, anti Static and light weight
OUTSOLE	: Scuff toe cap, PU / RUBBER contact heat resistant up to 300° C HRO



EN ISO 345 S3 CI

-SRC-

WR



SIZE : 37 to 47

Model: R6106

UPPER	: New buck water repellent leather and abrasion resistant
LINING	: Cambrella material
TOE CAP	: Composite 200J light weight
FOOTBED	: Anatomic, Antibacterial, shock absorber in the heel area
MIDSOLE	: 100% composite midsole, 1100KN, Anti penetration, anti Static and light weight
OUTSOLE	: PU dual density injection, Slip resistant



EN ISO 345 S3 CI

-SRC-

WR



SIZE : 37 to 47

Model: R10S3

UPPER	: Genuine leather, 1.8mm-2.0mm thick, Anti-abrasion, Water resistant leather
LINING	: Cambrella lining
TOE CAP	: Steel toe cap, 200J
FOOTBED	: Comfort Anatomic, Antibacterial, shock absorber in the heel area
MIDSOLE	: Steel plate, 1100KN, Anti penetration and light weight
OUTSOLE	: PU / PU Dual density, Anti static, Resistant to Hydrocarbons, Slip resistant



EN ISO 345 S3 CI

-SRC-

WR



SIZE : 37 to 47

Model: R16S3

UPPER	: Genuine leather, 1.8mm-2.0mm thick, Anti-abrasion, Water resistant leather, Padded tongue ergonomics, Tough and rugged
LINING	: Cambrella lining
TOE CAP	: Steel toe cap, 200J
FOOTBED	: Comfort Anatomic, Antibacterial, shock absorber in the heel area
MIDSOLE	: Steel plate, 1100KN, Anti penetration
OUTSOLE	: PU / PU Dual density, Slip resistant



EN ISO 345 S1P

-SRC-

SIZE : 37 to 47

Model: UF-2 ROCKER

UPPER	: Genuine leather, 1.6mm to 1.8mm thick, Anti-abrasion
LINING	: Comfort Cambrella lining
TOE CAP	: 200J Light weight steel
FOOTBED	: Comfort Anatomic, Antibacterial, shock absorber in the heel area
MIDSOLE	: Steel plate 1100KN, Anti penetration
OUTSOLE	: PU/PU Slip resistant



Model : X7-IMPACT GLOVES

Synthetic Leather Palm, Durable and long lasting.
 PVC anti-slip palm patches and double with neoprene padding on fingers and top hand.
 Neoprene Knuckle / High Visibility Orange and Yellow.
 Shock absorbing thermoplastic rubber on back of hand and fingers.
 Kevlar lining provides cut and abrasion resistance.

EN388

	Level
Abrasion	4
Cut	4
Tear	4
Puncture	3



Model : OR100-IMPACT GLOVES

Ergonomic EVA stripe design on back protects hands from vibration & offer better flexibility.
 Reflective accents and hi-vis color scheme for optimal hand visibility.
 TPR patch on fingers for impact protection, pinch injury prevention & blow deflection.
 Anti-slip pure rubber padding on palm performs much better on anti-cut & anti-abrasion than common PVC. Resists oil and enhances grip.

EN388

	Level
Abrasion	4
Cut	4
Tear	4
Puncture	3



Model : RIG5 IMPACT GLOVES NITRILE COATED CUT LEVEL 5

Thermo Plastic Rubber (TPR) backing helps reduce back-of-hand injuries.
 Excellent oil grip and bare-hand feel. Fine-gauge, 100% nylon.
 Dyneema seamless-knit shell is used as lining for cut resistance.
 Dipped into a foam nitrile over an ergonomically-shaped hand form, giving this glove unsurpassed comfort and dexterity while offering hi-viz advantages.

EN388

	Level
Abrasion	4
Cut	5
Tear	4
Puncture	3



Model : 003-COTTON KNITTED DOUBLE SIDE PVC DOTTED

Cotton Knitted Gloves with PVC Dots on the Palm & Fingers (Double side). Navy Blue Nylon textured on the outer surface and cotton on the inside for better comfort.
 Heavier, blended cotton/polyester knit shell that absorbs perspiration, and gives additional protection without compromising comfort and dexterity.
 The PVC dots provide additional support in gripping various surfaces.

EN388



Model : RIG10-IMPACT GLOVES

Thermo Plastic Rubber (TPR) backing helps reduce back-of-hand injuries.
 Excellent oil grip and bare-hand feel. Fine-gauge, 100% nylon.
 Seamless-knit shell is non-linting and breathable.
 Ergonomically-shaped hand form, giving this glove unsurpassed comfort and dexterity while offering hi-viz advantages.
 Kevlar blended palm for a rugged and durable grip.

	Level
Abrasion	4
Cut	5
Tear	4
Puncture	4

EN388



Model : RIG-7 IMPACT GLOVES

Synthetic Leather Palm, Durable and long lasting.
 PVC anti-slip palm patches and double with neoprene padding on fingers and top hand.
 Neoprene Knuckle / High Visibility Orange and Yellow.
 Shock absorbing thermoplastic rubber on back of hand and fingers.
 Kevlar lining provides cut and abrasion resistance.

	Level
Abrasion	4
Cut	4
Tear	4
Puncture	3

EN388



Model : RNIT2309 NITRILE COATED GLOVES

The nitrile palm coating provides excellent grip to oil and grease applications and longer life, the knit design allow hands to breathe.
 Seamless construction provides superior comfort and lessens hand fatigue. The ambidextrous design and nitrile coating on both sides give the wearer four sides of maximum value.
 Cotton fleece lining for additional comfort.

CAT II EN388 (4111) EN 420



Model : R120Z

Cotton Knitted Gloves with PVC Dots on the Palm & Fingers (Double side).
 The polka gloves provide grip and comfort to user
 The PVC dots provide additional support in gripping various surfaces.

Available in Red cuff and Blue cuff

EN388



	Flame Retardant coverall 200GSM	Flame Retardant coverall 240GSM	Cotton Stain-Repellent coverall	Cotton Stain-Repellent coverall
	TECASAFE ZK-XL9200	F240AS-88/12	CTTF220	CT270 Deluxe
PRODUCT DETAILS	Rigman Tecasafe Plus XL9200, 200gsm, inherently flame resistant material. 51/43/5/1% PPAN-FR/Lyocell/Para-aramid/Static-control	Rigman F240AS 88/12, 240gsm, Flame resistant material. 87% cotton, 12% nylon, 1% Anti static	100% comfort cotton 220 Gsm thick fabric, Teflon coated coverall with stain repellency treatment. Pre shrunk fabric for durability with 50mm retro reflective tape. Industrial Washing 60 - 75 Deg C.	100% comfort cotton 270 Gsm thick fabric, Teflon coated coverall with stain repellency treatment. Pre shrunk fabric for durability with 50mm retro reflective tape. Industrial Washing 60 - 75 Deg C.
STANDARDS	NFPA 2112 , EN ISO 11612 (Flame Resistant) EN 1149-5 (Anti-Static) EN 61482-1-2 (Electric Arc Flash)	NFPA 2112 , EN ISO 11612 (Flame Resistant) EN 1149-5 (Anti-Static) EN 61482-1-2 (Electric Arc Flash)	EN ISO 13688: 2013 & EN 340:2003	EN ISO 13688: 2013 & EN 340:2003
SIZES	EUR40 - 66 / Small-6XL	EUR40 - 66 / Small-6XL	EUR40 - 66 / Small-6XL	EUR40 - 66 / Small-6XL
COLORS	Royal Blue, Orange, Yellow, Red, Grey, Khakhi Royale Bleu, Orange, Jaune, Rouge, Gris, Kaki	Royal Blue, Orange, Yellow, Red, Grey, Khakhi Royale Bleu, Orange, Jaune, Rouge, Gris, Kaki	Royal Blue, Orange, Yellow, Red, Grey, Khakhi Royale Bleu, Orange, Jaune, Rouge, Gris, Kaki	Royal Blue, Orange, Yellow, Red, Grey, Khakhi Royale Bleu, Orange, Jaune, Rouge, Gris, Kaki



81RSH BASIC HELMET

ABS shell, tough, lightweight, durable.
6 point adjustable Webbing Ratchet Suspension for shock absorbing and to suit all head sizes.

ANSI Z89.1, EN397

COLOUR White Green Blue
 Yellow Orange Red



81VHEL VENTILATION HELMET

ABS shell, tough, lightweight, durable.
6 point adjustable Webbing Ratchet Suspension for shock absorbing and to suit all head sizes.

ANSI Z89.1, EN397

COLOUR White Green Blue
 Yellow Orange Red



FC45 BROW GUARD VISOR

- Impact-resistant ABS brow guard.
- Ratchet Suspension.
- Clear Polycarbonate visor, 8" X 15-1/2" X1MM, Aluminum bound.
- Provides protection against chemical splash and light impact.

ANSI Z87.1 and CE EN166.

COLOUR Yellow



MAXFIT

Light weight with soft foam-filled cushion providing a good seal for protection against harmful noise and adjustable reinforced headband. Our ear muffs offer a snug, comfortable fit and most of them can be worn in three positions.

EN352-3

RIGMAN ASSURANCE :

- Products with EN compliance
- Genuine Products complying with EN Standards.
- Assured delivery on committed time
- Quality products with proven track record

Apart from this;

- We provide suggestions and solutions for safe work place upon request from clients.
- We organise training and on site demonstrations upon request from clients.
- For more details, our sales person are here to assist you.

Les Garanties de RIGMAN

- Produits Conformes aux Normes Européennes
- Authentiques conformes aux normes EN
- Livraison assurée à temps convenu
- Des produits de qualité éprouvés

En plus que ça

- Nous proposons des solutions pour garantir la sécurité des lieux de travail à la demande des clients
- Nous organisons des formations et des démonstrations sur site à la demande des clients .
- Pour plus de détails ,nos commerciaux sont disponibles pour vous



Rigman Safety Ltd.
Unit 150, Imperial Court
Exchange Street East
Liverpool L23AB
United Kingdom
Info@rigmansafety.com

Rigman Safety Ltd.
180 Av du Prado
CS-90029
13417 Marseille Cedex 08
France
fr-sales@rigmansafety.com